

Coffee Vending Machine - LEI SA





AUSBOX GROUP Vending Machine Solutions

16 Rebecca Road, Malvern East, VIC - 3145 Phone: 1800 28 26 22

sales@ausboxgroup.com.au











USER INTERFACE

- Touchable selection panel with twelve push buttons that allow you the flexibility of configuration.
 They can be configured selection or pre-selection.
- Showcase for branding purposes.
- End Selection Acoustic Signal.
- Alphanumeric display of 32 digits.
- 170 mm high delivery area apt for mug, equipped with foldaway espresso cup support.



LEI SA SPECIFICATIONS

ELECTRICAL SUPPLY

230 Vac - 50 Hz / 120 Vac - 60 Hz


INTERNAL ELECTRICAL SUPPLY

All the electrical components are supplied at 24 Vdc, with the exception of the boiler resistances, the pump and the steam ventilator that are at 230 Vac – 50 Hz or 120 Vac – 60 Hz

POWER SUPPLY

- 1.80 kw single boiler espresso version
- 2.50 kw double boiler espresso version
- 2.20 kw instant version

1 2 3 4



LEI SA ESPRESSO

- 1. TEA
- 2. COFFEE
- 3. MILK
- 4. CHOCOLATE

LEI SA INSTANT

5. TEA

2. COFFEE

1. SUGAR

- 3. MILK
- 4. CHOCOLATE

WATER SUPPLY

fitting connection = 3/4''water pressure = 0.5 - 6.5 bar

VERSIONS LEI SA	E3S ESPRESSO SINGLE BOILER*	E3S ESPRESSO DOUBLE BOILER*	I5S INSTANT*
COffEE BEANS	1	1	_
INSTANT CANISTERS	3	3	5
DIMENSIONS	H 625 mm x W 395 mm x D 580 mm WEIGHT 31,5kg		
CABINET	H 900 mm x W 400 mm x D 590 mm		

^{*} all versions are available with water system supply or with autonomous tank

AUSBOX GROUP Vending Machine Solutions

16 Rebecca Road, Malvern East, VIC - 3145 Phone: 1800 28 26 22 sales@ausboxgroup.com.au











FEATURES

- Flexibility of configuration
- Extractable mixers and boiler assembly that enables easy maintenance
- Instant Coffee boiler- 2000 W & 3.6 litres
- Espresso Coffee boiler- 1500 W- 150 cc. Additional boiler 700 W, 180 cc can be added for higher performances.
- Liquid Waste Tray with capacity of 1.9 litres and signal to indicate maximum water level.
- Coffee Waste Tray of 60 pods, equipped with counter software management.
- 3.6 litres of water available in the Autonomous tank behind the product containers. Water can be filled while the door is closed.

PAYMENT SYSTEM

- Compatible with cashless systems such as
- parallel protocols, MDB, ExE, and validator

ACCESSORIES KIT

- Rs232 module
- Equipped cabinet.
- Free vend panel.
- ExE/MDB kit.
- Visual smart programmer speed to enable easy upload of the firmware and settings.
- Also download of the settings and audit can be performed without a PC.
- Cup stations lighting kit through by software.

ENVIRONMENT

- Backlighted keyboard with led.
- in accordance with RHOS & WEEE.



AUSBOX GROUP Vending Machine Solutions

16 Rebecca Road, Malvern East, VIC - 3145 Phone: 1800 28 26 22 sales@ausboxgroup.com.au







